

ULTRA Family

SYSTEM EXAMPLES






All About ULTRA

THE ULTRA POWERFUL, ULTRA FAMILY.

The ULTRA family is made up of three powerful point source loudspeakers: ULTRA-X20, ULTRA-X40, and the latest addition, ULTRA-X80. They work seamlessly together or separately with precision and fidelity.

These versatile loudspeakers deliver exceptional sonic experiences for all kinds of audiences, in all kinds of venues, for all kinds of sound.

SPECIFICATIONS:



Choosing a System

WHICH ULTRA FAMILY SYSTEM IS BEST FOR YOUR VENUE?

The systems in this document show three different performance venues using a combination of ULTRA family point source loudspeakers and Meyer Sound low-frequency control elements.




ULTRA System A

**IDEAL FOR INTIMATE PERFORMANCE SPACES LIKE CAFES
WITH A CAPACITY OF UP TO 50 PEOPLE**


ULTRA-X20 Linear Peak SPL: 127 dB

1x ULTRA-X20 per side
1x USW-112P per side



— Power
— Analog Audio

ULTRA System A






ULTRA System B

**DESIGNED FOR MID-SIZE VENUES LIKE NIGHT CLUBS
WITH A CAPACITY OF UP TO 400 PEOPLE**


ULTRA-X40 Linear Peak SPL: 132.5 dB

- 1x ULTRA-X20 per side
- 1x ULTRA-X40 per side
- 3x USW-210P



— Power
— Analog Audio

ULTRA System B






ULTRA System C

A FRONTAL SPATIAL SYSTEM DESIGNED FOR VENUES WITH A CAPACITY OF UP TO 500 PEOPLE


ULTRA-X80 Linear Peak SPL: 140 dB

5x ULTRA-X80
2x 2100-LFC



— Power
— Analog Audio

ULTRA System C





Power Details

MAXIMUM ULTRA-X20/22/23 THAT CAN BE LOOPED WITH AC POWER

CIRCUIT BREAKER/ CONNECTOR RATING	115 V AC	230 V AC	100 V AC
15 A	105 looped (11 total)	20 looped (21 total)	8 looped (9 total)
20 A	16 looped (17 total)	29 looped (30 total)	12 looped (13 total)

MAXIMUM ULTRA-X40/42 THAT CAN BE LOOPED WITH AC POWER

CIRCUIT BREAKER/ CONNECTOR RATING	115 V AC	230 V AC	100 V AC
15 A	6 looped (7 total)	13 looped (14 total)	5 looped (6 total)
20 A	9 looped (10 total)	18 looped (19 total)	8 looped (9 total)

Side-by-Side

SYSTEM A	SYSTEM B	SYSTEM C
50 Capacity	400 Capacity	500 Capacity
2x ULTRA-X20	2x ULTRA-X20 2x ULTRA-X40	5x ULTRA-X80
2x USW-112P	3x USW-210P	2x 2100-LFC

Accessories

Meyer Sound offers a wide range of accessories to help you meet ever-evolving needs of any application. These accessories ensure easy integration, whether in permanent installations or temporary systems. Explore the complete collection of ULTRA family accessories on the Meyer Sound website.

Resources

Meyer Sound offers several resources on our website to support ULTRA family system needs. For detailed product information, including datasheets and other resources, visit the ULTRA family product pages on our website..



meyersound.com/product/ultra-x20/



meyersound.com/product/ultra-x40/



meyersound.com/product/ultra-x80/

Contact Us

EMAIL

Contact Meyer Sound or an authorized dealer to learn more.

sales@meyersound.com



This document and the data information disclosed in this document are confidential and are the exclusive property of Meyer Sound Laboratories Inc. Reproduction, copying, disclosure or use of this document data and information without written permission of Meyer Sound Laboratories Inc. is prohibited. This document is protected as an unpublished work under U.S. and International copyright law. All rights reserved. This is a presentation document only and as such is not to be used for construction or installation purposes until field conditions and other factors are accounted for.

This document contains trademarks and service marks of Meyer Sound and may contain the trademarks or service marks of third parties. All third party trademarks mentioned in this document are the property of their respective owners.

MEYER SOUND and the Meyer Sound wave logo are trademarks of Meyer Sound Laboratories Inc. and are registered in the United States Patent and Trademark Office, as well as in other countries.

The following is a partial list of additional Meyer Sound trademarks and service marks: 650-P®, 650-R2®, 750-LFC, 900-LFC, 1100-LFC, 2100-LFC, Acheron®, Acheron® 80, Acheron® 100, Acheron® Designer, Acheron® LF, Acheron® Studio, AlignALink, Amie®, Amie®-Sub, Ashby®, Ashby®-5C, Ashby®-8C, B-Noise, Bluehorn® System, BroadbandQ®, CAL®, CAL® 32, CAL® 64, CAL® 96, Callisto®, Compass®, Compass® Go by Meyer Sound, Compass® RMS, Composite EQ, Constellation®, CueConsole, CueStation, D-Mitri®, EXP®, Galileo®, Galileo GALAXY®, Galileo GALAXY® 408, Galileo GALAXY® 816, Galileo GALAXY® 816-AES3, GuideALink, HMS-5, HMS-10, HMS-12, HMS-15, Intelligent AC, IntelligentDC, JM-1P, LCS, LEO®, LEO® Family, LEO®-M, LEOPARD®, LEOPARD®-M80, Libra®, LINA®, LYON®, LYON®-M, LYON®-W, LYON®-WXT, M Series, M-Noise®, M'elodie®, M1D, M2D, M3D, MAPP, MAPP 3D, MAPP Online Pro®, MAPP XT, Matrix3, MatrixLink, MDM-832, MDM-5000, MICA®, MILO®, MINA, MJF-208, MJF-210, MJF-212A, MM-4XP, MM-4XPD, MM-10, MM-10ACX, MM-10XP, MPS-482HP, MPS-488HP, MSL-4®, MultiSense, Nebra, PANTHER, QuickFly®, QuietCool, REM®, RMS, RMServer, SB-2, SB-3F, SIM®, SIM® 3, Spacemap®, Spacemap® Go, SpeakerSense, Stella, Thinking Sound®, TM Array, TruPower®, TruShaping®, U-Shaping®, ULTRA-X20, ULTRA-X22, ULTRA-X23, ULTRA-X40, ULTRA-X42, UltraSeries, Ultra Reflex, UMS-1P, UMS-1XP, UP-4slim, UP-4XP, UPJ-1P, UPJ-1XP, UPJunior, UPJunior-XP, UPM-1P, UPM-1XP, UPM-2P, UPM-2XP, UPQ-D1, UPQ-D2, UPQ-D3, USW-112P, USW-112XP, USW-210P, VariO, VLFC, VRAS, Wild Tracks, X-400C, X-800C.

*Registered in the United States Patent and Trademark Office

Meyer Sound Laboratories, Inc.

2832 San Pablo Ave.
Berkeley, CA 94702
Tel: +1 510 486 1166
meyersound.com

